

# IMPLEMENT CONTENT FILTERING

**Lay Minh (Makito)**

CCIE # 47682, MikroTik Certified Trainer, MikroTik Consultant

**MikroTik User Meeting (Yangon, Myanmar)**

# ABOUT ME



## ○ Lay Minh

- My nick name is **Makito**
- CCIE # 47682
- Chief Technology Officer (CTO) at i-BEAM
- MikroTik Certified Trainer & Consultant
- Experiences:
  - 10 years in ISP industry since 2005
  - Billing solutions for service providers
  - ISP core network design and operations



## • MikroTik Certifications:



- Areas of interest: BGP, MPLS, IPv6



- **Initially found in year 2003, renovated in 2015!**
- One of the very first ICT training centers in Myanmar
- Basically we are doing:
  - MikroTik Certification Training
    - MTCNA, MTCRE, MTCWE, MTCTCE, MTCUME, MTCINE
  - MikroTik Products & Solutions
  - Cisco Certification Training
    - CCNA, CCNP, CCIE, CCDA, CCDP, CCDE..etc.
  - Linux & Network Fundamentals Training
  - IT/Network Consultation
  - ISP Billing Solution
  - ISP Design & Operations



# WHAT IS CONTENT FILTERING?

- “Content” typically means web pages, e-mails, videos, files, or applications on the internet.
- Content Filtering restricts user’s access to specific contents for some reasons:
  - Company Policies
  - Government Authority Requests
  - Parental Controls
  - Legality Issues
  - Security Purpose
  - ...etc.



# HOW TO DO CONTENT FILTERING?

- Before you start, you have to know what kind of contents you wanna filter.
- Different techniques can be used depends on the nature of contents:
  - Routing Table
  - IP-based Filter
  - Keyword Filter
  - Layer 7 Filter
  - Web Proxy
  - DNS



# FEATURES COMPARISON

Features	Routing Table	IP-based Filter	Keyword Filter	Layer 7 Filter	Web Proxy	DNS
Filter specific IP address	YES	YES	NO	NO	YES	NO
Filter specific domain name	NO	NO	YES	YES	YES	YES
Filter specific web page	NO	NO	MAYBE	MAYBE	YES	NO
Filter specific protocol	NO	YES	NO	MAYBE	NO	NO
Filter specific keyword	NO	NO	MAYBE	MAYBE	NO	NO
Filter specific packet format	NO	NO	NO	YES	NO	NO

# ROUTING TABLE

## ○ Implementation

- Use IP routing table (RIB) to drop or reject packets to specific destination IP address/subnet

## ○ Use Case

- Filter exact IP address/subnet

## ○ Pros

- Easy to implement

## ○ Cons

- Cannot selectively filter by source IP, all users are effected
- Cannot do protocol-based, domain-based, or content-based filtering.
- Interfere other websites on the same shared hosting



# ROUTING TABLE – IMPLEMENT

- Go to menu **IP → Routes**, create a new route:
  - **[Dst. Address]** is the IP/subnet you wanna block
  - Select **[Type]** as “**unreachable**”, “**blackhole**”, or “**prohibited**”.

New Route

General | Attributes

Dst. Address: 8.8.8.8

Gateway:

Check Gateway:

Type: unicast  
blackhole  
prohibit  
unicast  
unreachable

Distance:

Scope: 30

Target Scope: 10

Routing Mark:

Pref. Source:

OK  
Cancel  
Apply  
Disable  
Comment  
Copy  
Remove



# IP-BASED FILTER

## ○ Implementation

- Use IP Firewall to drop or reject packets based on source or destination address, protocol, and port.

## ○ Use Case

- Filter exact IP address/subnet
- Filter protocol and port number

## ○ Pros

- Can do protocol-based filter
- Can selectively apply in specific conditions (i.e. office hours)


## ○ Cons

- Cannot domain-based, or content-based filtering
- Interfere other websites on the same shared hosting



# IP-BASED FILTER – IMPLEMENT

- Go to menu **IP → Firewall → Filter Rules**, create a new rule:
  - **[Dst. Address]** is the IP/subnet you wanna block
  - Specify **[Src. Address]** if you wanna block specific user only
  - **[Action]** can be “drop” or “reject”
  - Use **[Src. Address List]** and **[Dst. Address List]** for multiple IPs.



# KEYWORD FILTER

## ○ Implementation

- Use IP Firewall to drop or reject packets with specific keyword in the packet payload

## ○ Use Case

- Filter the word you don't like

## ○ Pros

- You don't really need to know what is the IP or domain of the content


## ○ Cons

- Encrypted contents (HTTPS) are not visible to the firewall rule
- A bad website usually does not say they are bad 😊
- Consider nature of packet fragmentation



# KEYWORD FILTER – IMPLEMENT

- Go to menu **IP → Firewall → Filter Rules**, create a new rule:
  - Go to tab **[Advanced]**, fill in keyword in **[Content]**
  - **[Action]** can be “**drop**” or “**reject**”



# LAYER 7 FILTER

## ○ Implementation

- Use IP Firewall to drop or reject packets matched Layer 7 Regexp

## ○ Use Case

- Filter contents based on their packet format
- Filter applications that don't have specific port number

## ○ Pros

- Enhanced keyword matching in packet payload
- Match various types of application, including some P2P software


## ○ Cons

- It is slow, high CPU consumption on matching Regular Expression
- Cannot guarantee it will always work
- Encrypted packets are not visible to Layer 7 filter



# LAYER 7 FILTER – IMPLEMENT (STEP 1)



- Go to menu **IP** → **Firewall** → **Layer 7 Protocols**, create Layer 7 Protocol with Regular Expression for matching the packets.



- Reference: <http://l7-filter.sourceforge.net/protocols>

# LAYER 7 FILTER – IMPLEMENT (STEP 2)

- Go to menu **IP → Firewall → Filter Rules**, create a new rule:
  - Go to tab **[Advanced]**, select your created **[Layer 7 Protocol]**
  - [Action]** can be “**drop**” or “**reject**”



# WEB PROXY

## ○ Implementation

- Transparently redirect all HTTP requests to the router's Web Proxy, define Access rules to allow/deny websites

## ○ Use Case

- Filter specific website or web page

## ○ Pros

- Can block specific website without interfering other websites on shared hosting
- Can block specific page of a website
- Can do redirection

## ○ Cons


- So far it does not support HTTPS
- Performance is not good for busy networks





# WEB PROXY – IMPLEMENT (STEP 1)

- Enable Web Proxy in menu IP → Web Proxy




- Click on **[Access]** button to configure filtering rules.



# WEB PROXY – IMPLEMENT (STEP 2)

- Create new Web Proxy Rule:
  - [Dst. Host] is domain name, [Path] is page URL
  - Select [Action] “deny”
  - Specify URL in [Redirect To] to redirect user to another site



The screenshot shows the Mikrotik WinBox interface for configuring Web Proxy Access. A 'New Web Proxy Rule' dialog box is open, displaying the following configuration:

#	Src. Address	Dst. Address

Dialog Box Fields:

- Src. Address:
- Dst. Address:
- Dst. Port:
- Local Port:
- Dst. Host:
- Path:
- Method:
- Action:
- Redirect To:
- Hits:

Buttons: OK, Cancel, Apply, Disable, Comment, Copy, Remove, Reset Counters, Reset All Counters

0 items



# WEB PROXY – IMPLEMENT (STEP 3)

- Go to menu **IP** → **Firewall** → **NAT**, create a new rule:
  - [Chain]** is “dstnat”, **[Protocol]** is “tcp”, **[Dst. Port]** is “80”
  - [Action]** is “redirect”, and **[To Ports]** “8080”

The image displays two overlapping screenshots of the Mikrotik WinBox 'New NAT Rule' configuration window. The top window shows the 'General' tab with the following settings: Chain: dstnat, Src. Address: (empty), Dst. Address: (empty), Protocol:  tcp, Src. Port: (empty), Dst. Port:  80, Any. Port: (empty), and In. Interface: (empty). The bottom window shows the 'Action' tab with the following settings: Action: redirect,  Log, Log Prefix: (empty), and To Ports: 8080. Both windows have buttons for OK, Cancel, and Apply.

# DNS

## ○ Implementation

- Transparently redirect all DNS requests to the router's DNS Server, create fake records to manipulate the DNS replies

## ○ Use Case

- Filter specific domain name

## ○ Pros

- It is fast and effective
- Works on all protocols, as long as they use domain name


## ○ Cons

- Cannot selectively filter specific protocol or specific web page
- Applications which connect directly to IP addresses won't be filtered (i.e. Facebook App on smart phones)
- Creates interference to the fake IPs that you manipulated



# DNS – IMPLEMENT (STEP 1)

- Enable access to router DNS Server in menu **IP → DNS**



The screenshot shows the 'DNS Settings' dialog box with the following fields and controls:

- Servers:** 8.8.8.8 (up/down arrows)
- Servers:** 8.8.4.4 (up/down arrows)
- Dynamic Servers:** (empty text box)
- Allow Remote Requests** (highlighted with a dashed yellow border)
- Max UDP Packet Size:** 4096
- Query Server Timeout:** 2.000 s
- Query Total Timeout:** 10.000 s
- Cache Size:** 2048 KiB
- Cache Max TTL:** 7d 00:00:00
- Cache Used:** 9
- Buttons:** OK, Cancel, Apply, Static, Cache


- Click on **[Static]** button to create fake records for domains



# DNS – IMPLEMENT (STEP 2)

- Create new DNS Static Entry:

- **[Name]** is domain name you wanna manipulate
- Fill in fake IP in **[Address]** field, can be any IP that you think it will never be reachable by users.



# DNS – IMPLEMENT (STEP 3)

- Go to menu **IP → Firewall → NAT**, create a new rule:
  - [Chain]** is “dstnat”, **[Protocol]** is “udp”, **[Dst. Port]** is “53”
  - [Action]** is “redirect”, and **[To Ports]** “53”

The image displays two overlapping screenshots of the Mikrotik WinBox 'New NAT Rule' dialog box. The top screenshot shows the 'General' tab with the following settings: Chain: dstnat, Protocol: udp, and Dst. Port: 53. The bottom screenshot shows the 'Action' tab with the following settings: Action: redirect, Log: unchecked, Log Prefix: (empty), and To Ports: 53. Both screenshots show the 'OK', 'Cancel', and 'Apply' buttons on the right side of the dialog.

# SO...WHAT SHOULD WE USE?

- **There is no single solution that can do everything 😊**
- Review your requirements and select the most suitable solutions.
- Filtering Suggestions:

Content	Solutions
Facebook	Routing Table, IP-based Filter, DNS
YouTube	DNS
HTTP websites	Web Proxy, Keyword Filter
HTTPS websites	DNS
Skype	Layer 7 Filter
LINE	Routing Table, IP-based Filter
Torrents	Layer 7 Filter





# USEFUL RESOURCES



## ○ Facebook Address List

- [https://www.facebook.com/download/1635317286685519/address\\_list\\_FACEBOOK.txt](https://www.facebook.com/download/1635317286685519/address_list_FACEBOOK.txt)

## ○ Google Address List

- [https://www.facebook.com/download/1503947393258558/address\\_list\\_GOOGLE.txt](https://www.facebook.com/download/1503947393258558/address_list_GOOGLE.txt)

## ○ i-BEAM Facebook Group

- All presentations done by i-BEAM members (not only MUM) will be uploaded here!
- <https://www.facebook.com/groups/1481854632142914/>

## ○ i-BEAM Facebook Page

- Check upcoming trainings and get our most special offers!
- <https://www.facebook.com/informationbeam>





# QUESTIONS & ANSWERS

If you have any questions, please feel free to ask!



# THE END

## THANKS FOR YOUR ATTENTION!

Contact Me

[makito@informationbeam.net](mailto:makito@informationbeam.net)

Skype: akn\_makito

Phone: (+95) 09977423735

(+855) 011277300