



MUM Vietnam
Ho Chi Minh City
January 2019



What do we do?

We create networks

Our products include

RouterOS

built and advanced for more than 20 years

RouterBOARD

Wireless outdoor, indoor, Ethernet routers

CRS

Switches with RouterOS

CSS

Switches with SwOS



- Established 1996
- RouterOS created in 1997
- RouterBOARD created in 2002
- First MUM event in Prague 2006
- MUM Indonesia 2018 had over 3700 people
- 31 events in 2018

More than 190 MUM events around the world





LATVIA

STAFF

Look for MikroTik staff in the red t-shirts

Edmunds Aperans (sales and training)

Pauls Jukonis (technical support)

Martins Strods (technical support)

Agenda

Presentations

09:00

Lunch

12:00

Presentations

13:30

Lottery

17:00

Beer and soft drinks

17:30

mt.lv/agenda

MUM Live

www.youtube.com/mikrotik

Special Thanks



AD.TEK

Some of our latest products

1Gbit
over wireless



100m+
range

60GHz
radio

Gigabit
Ethernet

Paired
Secure Link
preconfigured

Powered by
AF/AT/Passive
PoE, DC jack



MikroTik

Wireless Wire

Wireless Wire

- 1 Gbps full duplex without wires
- For distance 200 meters +
- 60 GHz beam-forming
- Paired secure link preconfigured
- IPsec encryption
- \$198 kit



Wireless Wire Dish

Two LHG60G devices for long range 1 Gbit

LHG 60G

- 1 Gbit full duplex (wire speed)
- Works in 60 GHz spectrum
- Familiar LHG design
- Quad-core ARM CPU
- Low cost and low weight
- Targeted for 1.5 km and more!
- IPsec encryption
- Kit price \$298
- Lite version available \$99 (single unit)



SXTsq Lite60

- 60 GHz CPE
- SXTsq design
- 100 Mbps Ethernet
- For distance 200 meters +
- Price \$69



MikroTik 60GHz Products

PtP Link Distances at Full Speed

LHG 60G	1500+ meters	LHG 60G
LHG 60G	800+ meters	wAP 60G
LHG Lite60	800+ meters	wAP 60G
SXTsq Lite60	200+ meters	wAP 60G
wAP 60G	200+ meters	wAP 60G

LtAP mini

- 2.4 GHz AP in a rugged case
- miniPCle for LTE
- Built-in GPS
- Optional external antennas for GPS and LTE
- Serial port
- Perfect for outdoor and mobile applications






- 89\$ without module
- 129\$ with LTE (US version available) module

SXT LTE kit

- Dual SIM
- LTE card built-in
- 2x Ethernet
- PoE out
- International LTE bands
1,2,3,7,8,20,38 and 40
- US bands 2,4,5 and 12
- Kit price \$129




LHG LTE kit



- LTE built-in modem
- 17 dBi, 25 angle
- 4 category (150 Mbps/50 Mbps) LTE
- 3G - R7/R8
- For long distances
- Kit price \$159

solidMOUNT



- Allows vertical and horizontal adjustments
- Supports all LHG series (including LHG XL)
- Made from metal
- Includes U-bolt and mounting kit
- \$29


R11e-4G

- 4G Modem (no 2G/3G)
- 4 Category (150Mbps/50Mbps)
- 3,7,20,31 FDD bands
- 41n,42,43 TDD bands
- \$79



4G kits

- wAP 4G kit \$129
- LtAP mini 4G kit \$139
- SXT 4G kit \$139
- LHG 4G kit \$169



hAP ac²

- Quad core 716 MHz
- Gigabit ports
- Dual chain, dual band
- IPsec hardware encryption
- Same small size as "lite" model
- Kit price \$69



cAP ac

- Quad core 716 MHz
- Dual band, dual chain
- Gigabit port for 802.11ac speeds
- Two Ethernet ports
- PoE out
- Two cases included
- IPsec hardware encryption
- Kit price \$69








450Gx4

- Quad core 716 MHz
- 1 GB of RAM
- IPsec hardware encryption
- PoE out
- microSD
- 10V - 57V dual input
- Price \$99



hEX S

- Dual-core 880 MHz
- 256 MB of RAM
- Full size USB
- 1.25 Gbps SFP
- 10V - 57V PoE in and out
- IPsec hardware encryption
- Price \$69



SXTsq Lite 2

- 2 GHz CPE
- Slim design
- Low price
- Price \$39



LDF 2

- 2 GHz CPE
- Mounts in regular satellite dish
- Ultra long range
- Price \$39




mANTBox2 12s


- 2 GHz sector antenna
- 12 dBi
- RouterBOARD built-in
- Price \$99



CRS305-1G-4S+IN

- 4x SFP+ ports
- 1x Gigabit Ethernet
- Metallic enclosure
- Dual DC jacks
- Kit price \$149





CRS328-4C-20S-4S+RM


- 20x SFP ports
- 4x ETH/SFP combo ports
- 4x SFP+ ports
- Dual PSU
- Kit price \$369

CWDM

- Passive MUX/DEMUX unit
- Combine up to eight Fiber links into one
- Supports both SFP and SFP+
- Price \$359



CWDM



RouterBOARD 4011



RouterBOARD 4011

- 4 Core Cortex A15 CPU
- 10 Gigabit SFP+
- IPsec hardware encryption
- 1 GB RAM
- PoE out
- Price \$199



RouterBOARD 4011




RouterBOARD 4011

- 2 chains for 2 GHz, 802.11 b/g/n
- 4 chains for 5 GHz, 802.11 a/n/ac
- 160 MHz channel width
- 1733 Mbps + 300 Mbps data rates
- Price \$249




RouterBOARD 4011




RB4011 wall mount kit - 12\$

PWR-Line AP

- Small AP that directly plugs into socket
- Makes 100 Mbps links with others like it
- Build WiFi network without special cabling
- Automatically pairs with new devices
- Uses HomePlug AV standard





Some of our upcoming products

LtAP


- 2.4 GHz AP in a rugged case
- 2x miniPCle for LTE
- Built-in GPS
- Optional external antenna for GPS and LTE
- 1 Gbps Ethernet interface
- Perfect for outdoor and mobile applications



CRS309-1G-8S+PC


- 8x SFP+ ports
- 1x Gigabit Ethernet
- Dual boot: RouterOS / SwOS
- Silent case





CRS326-24S+2Q+RM

- 24x SFP+ for 10 Gbit connections
- 2x QSFP+ ports for 40 Gbit connections
- RJ45 console and Ethernet ports for management
- USB port, Dual PSU



CRS312-4C+8XG

- 8x 10G Ethernet ports
- 4x 10G Ethernet / 10G SFP+ combo ports
- Console and management ports
- Dual PSU



CRS354-48G-4S+2Q+

- 48x Gigabit ports
- 4x SFP+ for 10 Gbit connections
- 2x QSFP+ ports for 40 Gbit connections
- Dual PSU



CRS354-48P-4S+2Q+

- 48x Gigabit ports with PoE out
- 4x SFP+ for 10 Gbit connections
- 2x QSFP+ ports for 40 Gbit connections

Software related news

60 GHz Improvements

- Major received signal sensitivity improvements
- Maximum reachable distance improvements (up to 4 KM at full speed)
- Decreased re-connection time on lost connection
- PtMP performance improvements
- Added hardware stats [`/interface w60g print stats`]
- Other improvements

Security updates




<https://blog.mikrotik.com>

- Fixed within 24 hours (in April)
- Affects only devices with no firewall for Winbox services
- MikroTik routers **have** default firewall
- Versions that include fix - v6.40.8 (long-term), v6.42.1 (stable)

MikroTik App iOS / Android

- Auto-Configuration
- Simplified interface
- Questions and suggestions:
support@mikrotik.com



The screenshot shows the MikroTik App iOS login interface. At the top, the status bar displays 'Tele2', signal strength, time '15:21', and battery level '74%'. The app logo 'MikroTik' is centered, with 'Tik-App iOS 0.16' below it. A vertical menu icon is in the top right. Below the logo, there are three tabs: 'LOG IN' (selected with a blue underline), 'SAVED', and 'DISCOVERED'. The login form includes three input fields: '192.168.88.1' for the IP address, 'admin' for the username, and 'Password' for the password. A checkbox labeled 'Keep password' is checked. At the bottom, there are two buttons: 'SAVE' (dark blue) and 'CONNECT' (blue).

Tele2 15:21 74%

MikroTik
Tik-App iOS 0.16

LOG IN SAVED DISCOVERED

192.168.88.1




admin

Password

☒ Keep password

SAVE CONNECT


MikroTik App iOS / Android



MikroTik Tik-App iOS beta invite



TestFlight



RouterOS releases

Version	Number of changes
6.43.8	31*
6.43.7	36
6.43.4	25
6.43.2	1
6.43.1	20
6.43	258*
* version with security updates	

Need help?

- Ask a local distributor
- Hire MikroTik consultant
- Read the manual wiki.mikrotik.com
- Email support@mikrotik.com
- Attend a training class or join and Academy class in a University

After the MUM

- All presentations - mum.mikrotik.com
- Videos - youtube.com/mikrotik
- License for paid and voucher registrations will be sent by an e-mail

The image shows the MikroTik logo in a dark gray, 3D-style font. The word "Mikro" is in a standard sans-serif typeface, while "Tik" is in a bold, italicized sans-serif typeface. Above the letter 'i' in "Mikro" are two curved lines that suggest motion or a stylized 'M'. The entire logo is positioned on a light gray surface that reflects the logo, creating a subtle 3D effect. The background is a smooth, light blue-to-white gradient.

MikroTik